


ROMANCE

PRODUCT CATALOGUE

Distinct by
Design



CHAOZHOU ROMANCE CERAMIC TECHNOLOGY CO.,LTD.

Address: Manchang,Gusan village,Guxiang town,Chaoan district,Chaozhou city,Guangdong.

Tel:+(86)0768-6934912
Mobile:+(86)13600126663
Email:sales@romance-cn.com

Fax:+(86)0768-6934913
Whats:+(86)13600126663
Web:www.romance-cn.com

Smart Toilet Catalog **Innovation sets our altitude | Quality defines our longevity**

INDEX

About Us	01-06
Washdown smart toilet series	07-20
Siphonic smart toilet series	21-44
Non-electric smart Toilet Series	45-46



2007
SINCE 2007

25000m²
Area of production base

Company Profile

Located in Chaozhou— the capital of ceramic in China. Chaozhou Romance Ceramic Technology Co., Ltd. was established in 2007 and obtained the right to operate import and export business independently in 2022. Our company's products mainly include: Intelligent toilet, One piece toilet, Two piece toilet, Washbasin, Cabinet, Mirror and the bathroom accessories. At present, our company's main export regions for products are: North America, Europe, Latin America, Southeast Asia and the Middle East.

Chaozhou Romance Ceramic Technology Co., Ltd. is a professional manufacturer of sanitary ware, covering product development, manufacturing, sales and after-sales service. Our company has approximately 25,000 square meters for the workshops and office buildings. We have multiple intelligent toilet assembly and processing lines as well as normal toilet installation and water testing production lines. We also equipped with a fully functional testing laboratory.

Romance has a three-in-one international peer management system including ISO9000 quality management system, ISO14000 environmental management system and ISO45000. We have obtained multiple foreign product certifications including CE, ROHS, NOM, CESMEC. Our factory has also obtained SNI, SIRIM and CIDB certifications. In June of 2025, ROMANCE obtained AEO (Authorized Economic Operator) certification, becoming the first enterprise in the industry to receive this honor.

Our mission : To build on quality control, pursue higher product quality, create a top brand image, and provide consumers with higher and better services.

Our goal : To bring you a romantic life, comfortable life!

Our advantages : superior quality, novel style, reasonable price. Our advantages make our products highly competitive both at home and abroad. At the same time, excellent service and punctual delivery time to help our company in the majority of consumers to win a good reputation. If you are interested in our styles, please feel free to contact us.



Laboratory&Production Base



SMART TOILET LAB

The smart toilet laboratory focuses on innovative R&D in areas such as flushing system optimization and health monitoring technologies. By conducting real-scenario simulation experiments, it continuously improves product performance. Through research and application of health data analysis and smart interaction technologies, the lab is transforming smart toilets into modern intelligent health management terminals.



SMART TOILET PRODUCTION BASE

As the core platform for industry upgrading, the smart toilet production base integrates R&D, manufacturing and testing functions. Through the coordinated operation of automated production lines, digital management systems and intelligent logistics systems, it drives the transformation and upgrading of traditional bathroom products towards intelligent solutions.



Brand Vision

Innovation-Driven:

We consistently prioritize innovation as our core mission, dedicated to advancing product intelligence through technological breakthroughs. With a strong focus on R&D investment, we have built an elite team of engineers and designers committed to developing and optimizing smart sanitary products.

User-Centric Approach:

We prioritize user experience by integrating customer needs and feedback into product design. Through attentive listening and rigorous testing, we ensure every product delivers optimal performance and satisfaction.

Development

Service Upgrade:

By establishing a globalized marketing network and after-sales service system, we are committed to delivering more convenient and efficient service experiences for our users.

Technology Leadership:

We intensify R&D in cutting-edge technologies—particularly AI, IoT, and big data analytics—to consistently launch smart sanitary products with technological competitive advantages.

Washdown intelligent toilet series



POWERFUL FLUSH

Rapid waste removal,
less clogging

SMOOTH PIPELINE

High flushing efficiency, low water
consumption




Tornado




W-503

Smart Two-piece Toilet

Size: 678x380x780mm
 Seat: 290x210mm
 Flushing method: Washdown flushing
 Roughing-in: S-trap100~250mm
 P-trap 180mm
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



S-trap:100-250mm with flexible tube




P-trap 180mm



Feminine clean



Radar induction flip cover




Rimless



W-303

Smart Wall-hung toilet

Size: 520x380x365mm
 Seat: 290x210mm
 Rated Voltage: 110V/220V
 Flushing method: Washdown flushing
 Roughing-in: P-trap 180mm
 Customized plug types available for different countries.




P-trap 180mm



Foot induction flushing



Ambient night light




Rimless




W-603

Smart Floor-mounted toilet


Size: 520x380x445mm
 Seat: 290x210mm
 Flushing method: Washdown flushing
 Roughing-in: P-trap 180mm
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.




P-trap 180mm



Warm air drying



Heated seat




Configuration	Manual Version	Manual flip cover Hip clean Cold and hot massage Unseat Automatic flushing Seat temp. adjustable LED screen display Automatic seat temp. adjustment function	Heated seat Feminine clean Spray rod regulation Button flushing Water temp. adjustable Ambient night light	Moisten when seated Moving clean Warm air drying Foot induction flushing Wind temp. adjustable Wireless remote control	Soft and silent closing cover&seat Spray rod self-clean Instant warm water Water pressure regulation IPX4 waterproof Backup power when power outage
	Auto Version	+Manual Version Foam generating function	Radar induction flip cover	Foot induction flip cover	Automatic flushing for men urination

Configuration	Manual Version	Manual flip cover Hip clean Cold and hot massage Unseat Automatic flushing Seat temp. adjustable LED screen display Automatic seat temp. adjustment function	Heated seat Feminine clean Spray rod regulation Button flushing Water temp. adjustable Ambient night light	Moisten when seated Moving clean Warm air drying Foot induction flushing Wind temp. adjustable Wireless remote control	Soft and silent closing cover&seat Spray rod self-clean Instant warm water Water pressure regulation IPX4 waterproof Backup power when power outage
	Auto Version	+Manual Version Foam generating function	Radar induction flip cover	Foot induction flip cover	Automatic flushing for men urination


2001

Water Tank



3001

Water Tank






All-in-One Ceramic Water Tank - Enhanced Flushing Experience

We've optimized the internal structure to ensure smooth flushing even during power outages, guaranteeing uninterrupted performance.

The innovative built-in tank design significantly reduces flushing noise (as low as 45dB), delivering a remarkably quiet operation.

Smart Toilet

Non-electric Smart Toilet



Design

Designer's Notes

When designing this smart toilet, we first considered a core issue:
 The product must maintain normal operation even in the event of a power outage or unexpected circumstances.
 To achieve this, we optimized the flushing system to ensure it can function without electricity.
 Next, we specifically improved the noise reduction performance.
 Through the unique structural design of the built-in water tank, we made the water flow path smoother, reducing the sound of water colliding with the pipes.
 Additionally, our product features a specially designed mechanical flushing function that can be activated by adjusting the configuration.
 In other words, even without power, you can still manually operate it to achieve basic bidet functionality.




Wash-down structure



Conventional water mechanism, No water pressure limited.



Power-free Cleaning System







Silent Flow

QuietComfort


Innovative built-in water tank design eliminates traditional bathroom noise, delivering a whisper-quiet flushing experience.
Operates without water pressure dependence and functions reliably even during power outages, ensuring consistent performance in all conditions.



Washdown flushing



Mechanical Flushing System



Power-Free Flush



Clean knob



Configuration


Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 678x385x600mm
Seat: 300x210mm
Rated Voltage: 110V/220V
Customized plug types available for different countries.

Flushing method: Rimless Washdown flushing
Roughing-in: S-trap 100~250mm
P-trap 180mm



S-trap:100~250mm with flexible tube



P-trap 180mm

W-009

A.I. Comfort

Smart Cleaning System

Every intelligent sensing is a perfect fusion of technology and daily life. With instant warming, stepless pressure adjustment, and precise personalized care, cutting-edge technology seamlessly integrates into your routine, delivering an unparalleled clean and comfortable experience.



Lip-Free Design



Tornado


W-006

Smart toilet


Size: 680x380x465mm
Seat: 300x200mm

Flushing method: Tornado Washdown flushing
Roughing-in: S-trap100~250mm
P-trap 180mm





Rated Voltage: 110V/220V
Customized plug types available for different countries.



S-trap:100~250mm with flexible tube



P-trap 180mm



Tornado



Moving washing



Heated seat



Lip-Free Design



Tornado

W-010

Smart toilet

Size: 680x380x465mm
Seat: 300x200mm


Rated Voltage: 110V/220V

Flushing method: Tornado Washdown flushing
Roughing-in: S-trap100~250mm
P-trap 180mm




Customized plug types available for different countries.



S-trap:100~250mm with flexible tube



P-trap 180mm



Tornado



Heated seat



Ambient night light

Configuration	Manual Version	Manual flip cover Hip clean Cold and hot massage Unseat Automatic flushing Seat temp. adjustable LED screen display Automatic seat temp. adjustment function	Heated seat Feminine clean Spray rod regulation Button flushing Water temp. adjustable Ambient night light	Moisten when seated Moving clean Warm air drying Foot induction flushing Wind temp. adjustable Wireless remote control	Soft and silent closing cover&seat Spray rod self-clean Instant warm water Water pressure regulation IPX4 waterproof Backup power when power outage
	Auto Version	■ +Manual Version Foam generating function	Radar induction flip cover	Foot induction flip cover	Automatic flushing for men urination

Serene

Comfort Living System

Every gentle touch speaks silently of quality and elegance. With soothing warm air, instant drying, and thoughtful protection for your intimate health every day, it allows an elegant lifestyle to begin with every refreshing and comfortable morning and night.



Lip-Free Design



Tornado

W-011

Smart toilet

Size: 680x380x480mm


Seat: 300x200mm

Rated Voltage: 110V/220V


Flushing method: Tornado Washdown flushing

Roughing-in: S-trap100~250mm
P-trap 180mm




Customized plug types available for different countries.




S-trap:100~250mm with flexible tube



P-trap 180mm



Tornado



Moving washing



Lip-Free Design



Tornado

W-012

Smart toilet


Size: 680x380x475mm

Seat: 300x200mm


Flushing method: Tornado Washdown flushing

Roughing-in: S-trap100~250mm
P-trap 180mm




Customized plug types available for different countries.




S-trap:100~250mm with flexible tube



P-trap 180mm



Warm air drying



Ambient night light

Configuration

Manual Version

Manual flip cover	Heated seat	Moisten when seated	Soft and silent closing cover&seat
Hip clean	Feminine clean	Moving clean	Spray rod self-clean
Cold and hot massage	Spray rod regulation	Warm air drying	Instant warm water
Unseat Automatic flushing	Button flushing	Foot induction flushing	Water pressure regulation
Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable	IPX4 waterproof
LED screen display	Ambient night light	Wireless remote control	Backup power when power outage
Automatic seat temp. adjustment function			

Auto Version

+Manual Version	Radar induction flip cover	Foot induction flip cover	Automatic flushing for men urination
Foam generating function			


Haven

Skin Care Specialist

Every gentle water stream is a tender dialogue with delicate skin. Featuring instant warm water, pulsating massage, and meticulous care for every cleansing need, it transforms thoughtful 呵护 into a private ritual for you to unwind and rejuvenate.




Design



Moving washing



Tornado



Warm air drying



Clean knob



Tornado



Lip-Free Design

Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 685x385x455mm
 Seat: 300x200mm
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.

Flushing method: Tornado Washdown flushing
 Roughing-in: S-trap 100~250mm
 P-trap 180mm



S-trap:100~250mm with flexible tube



P-trap 180mm

W-013

BREAK BOUNDARIES UNLEASH POTENTIAL

Even compact homes can enjoy a sense of spaciousness! Innovative designs make the most of every inch, perfectly integrating the toilet with your bathroom. Simple yet refined, it offers both comfort and functionality for your living experience. Breaking free from spatial limitations, every detail adds convenience and comfort to your home life.

52_{CM}

Make every inch count

WALL- MOUNTED

Compact, stylish and
easy-to-clean

FLOOR- MOUNTED

Quick install ,Heavy-duty,
easy maintenance




Comfort

An 8cm seat ring width for an ultimate comfort experience!

Whether for prolonged use or daily routines, the widened 8cm seat ring design delivers exceptional comfort. Its ergonomic structure offers optimal sitting support, creating an unparalleled relaxation experience.

FLOOR-MOUNTED



Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	■ +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 520x380x445mm
 Seat: 290x210mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 300mm
 (Rough in: 200~400mm customizable)
 P-trap 180mm
 Customized plug types available for different countries.


X-101

Designed for compact spaces

Featuring a compact design and efficient functionality to enhance spatial perception, while remaining easy to clean.

WALL-HUNG

Compact



High-Power Flushing System



Ambient night light



Heated seat



Button flushing



Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 520x380x405mm
 Seat: 290x210mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: P-trap 180mm
 Customized plug types available for different countries.

X-701





Concise

52cm Smart Toilet

Engineered for space-saving efficiency without compromising advanced features. Perfectly designed for compact homes and small bathrooms, it delivers effortless installation while maximizing your space utilization.

FLOOR-MOUNTED



Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		
	Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 520x380x440mm
 Seat: 290x210mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 300mm
 (Rough in: 200~400mm customizable)
 P-trap 180mm
 Customized plug types available for different countries.


X-105

Wall-hung Installation

Floating design maximizes space, creating an airy feel in compact bathrooms. Fully elevated base allows complete under-toilet access for hassle-free cleaning.

WALL-HUNG

Flexible




Ambient night light



Button flushing



Heated seat



High-Power Flushing System

Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
		Automatic flushing for men urination	Foam generating function

Product Information

Size: 520x380x395mm
 Seat: 290x210mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: P-trap 180mm
 Customized plug types available for different countries.

X-705

Reimagine Personality



PLURALISTIC INNOVATION

Evolving multi-dimensionally –
pioneering both form and function

PLAY WITH STYLE

Where distinction meets reinvention
– elevating every moment



Design Your Space, Define Your Style

Every Color, A Unique Expression.
Choose a distinctive hue for your space,
where every detail radiates unparalleled charm.



Industrial Designer:

Design

Designer's Notes

Inspiration comes from the contrast between day and night. The sun brings warmth to daylight, while the moon lends serenity to the evening—I wanted to weave both sensations into this design. As for colors, I've selected timeless yet distinctive tones, each carrying its own unique ambiance.




Extra-Wide Seat Ring

Smart Thermostatic Heating


46cm Race

Wide & Comfortable


Compared to conventional seats, the SunMoon Series features an extra-large 46cm seat ring design, providing more spacious room and significantly enhanced comfort. Even prolonged sitting feels effortless, delivering a lasting comfortable experience.



High-Power Flushing System



Warm air drying



Heated seat



Button flushing



Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 630x460x450mm
 Seat: 300x215 mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 300mm
 (Rough in: 200~400mm customizable)
 P-trap 180mm

Customized plug types available for different countries.

X-201

Color option






Vibe

Signature Style

Every design detail reflects your personality and taste. From bold color contrasts to innovative shapes, it seamlessly blends bathroom space with individuality. Each use becomes an artistic journey, transforming your bathroom into a home centerpiece.




Ambient night light




LED screen display



Clean knob



Warm air drying



Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information


Size: 680x380x460mm
 Seat: 320x210mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.

X-001

Whisper

Pure Moments

Every silent flush perfectly embodies comfort and cleanliness. With warm water, intelligent spray, and gentle care for every inch of skin, it offers you a moment of tranquility and relaxation in your busy life.



Ambient night light



LED screen display



Foot induction flushing



Heated seat



Configuration

Manual Version	Manual flip cover	Heated seat	Moisten when seated
	Hip clean	Feminine clean	Moving clean
	Spray rod self-clean	Cold and hot massage	Spray rod regulation
	Unseat Automatic flushing	Button flushing	Foot induction flushing
	Warm air drying	Instant warm water	Water pressure regulation
	Seat temp. adjustable	Water temp. adjustable	Wind temp. adjustable
	LED screen display	Ambient night light	Wireless remote control
	Soft and silent closing cover&seat	IPX4 waterproof	Backup power when power outage
	Automatic seat temp. adjustment function		

Auto Version	<input checked="" type="checkbox"/> +Manual Version	Radar induction flip cover	Foot induction flip cover
	Automatic flushing for men urination	Foam generating function	

Product Information

Size: 700x385x455mm
 Seat: 320x210mm
 Rated Voltage: 110V/220V
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.

X-002



Silent

Silent Water Harmony

Every flush whispers in quiet elegance.


Our engineered tank structure significantly reduces traditional flushing noise, where technology meets tranquility to deliver serene, stable, and comfortable bathroom moments.

X-003



Smart toilet



Size: 680x415x515mm
 Seat: 310x205mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



Moving washing



Button flushing




X-007



Smart toilet



Size: 680x415x520mm
 Seat: 310x205mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



Moving washing



Heated seat





X-021



Smart toilet



Size: 685x385x465mm
 Seat: 300x200mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



Warm air drying



Heated seat



Configuration	Manual Version	<ul style="list-style-type: none"> Manual flip cover Hip clean Cold and hot massage Unseat Automatic flushing Seat temp. adjustable LED screen display Automatic seat temp. adjustment function 	<ul style="list-style-type: none"> Heated seat Feminine clean Spray rod regulation Button flushing Water temp. adjustable Ambient night light 	<ul style="list-style-type: none"> Moisten when seated Moving clean Warm air drying Foot induction flushing Wind temp. adjustable Wireless remote control 	<ul style="list-style-type: none"> Soft and silent closing cover&seat Spray rod self-clean Instant warm water Water pressure regulation IPX4 waterproof Backup power when power outage
	Auto Version	<ul style="list-style-type: none"> +Manual Version Foam generating function 	<ul style="list-style-type: none"> Radar induction flip cover 	<ul style="list-style-type: none"> Foot induction flip cover 	<ul style="list-style-type: none"> Automatic flushing for men urination

Ease

SmartPure Living



Every simple operation is an ideal blend of efficiency and comfort. With instant heating, self-cleaning sterilization, it effortlessly resolves daily trivialities, allowing smart convenience to create more worry-free moments for your personal time.



X-005

Smart toilet

Size: 700x385x465mm
 Seat: 320x210mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



Moving washing





Heated seat



X-008

Smart toilet

Size: 700x385x455mm
 Seat: 320x207mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



Moving washing




Warm air drying



X-023

Smart toilet

Size: 700x385x520mm
 Seat: 320x200mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap300mm
 (Rough in: 200~400mm customizable)
 Rated Voltage: 110V/220V
 Customized plug types available for different countries.



Clean knob



Warm air drying

Configuration	Manual Version	Manual flip cover Hip clean Cold and hot massage Unseat Automatic flushing Seat temp. adjustable LED screen display Automatic seat temp. adjustment function	Heated seat Feminine clean Spray rod regulation Button flushing Water temp. adjustable Ambient night light	Moisten when seated Moving clean Warm air drying Foot induction flushing Wind temp. adjustable Wireless remote control	Soft and silent closing cover&seat Spray rod self-clean Instant warm water Water pressure regulation IPX4 waterproof Backup power when power outage
	Auto Version	+Manual Version Foam generating function	Radar induction flip cover	Foot induction flip cover	Automatic flushing for men urination



No water pressure limitation



Plug-Free



Power-free Cleaning System

Mechanical Cleaning

The mechanical PP rinse system in this all-in-one smart unit breaks through the limitations of traditional power and water pressure, delivering unprecedented convenience.

No batteries or water pressure required – simply operate with ease to enjoy comfortable, high-efficiency rinsing.

Pure Wash




Plug-Free

i-001



Non-electric smart toilet

Size: 680x380x460mm
 Seat: 320x210mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 300mm
 (Rough in: 200~400mm customizable)
 P-trap 180mm




Plug-Free

i-002



Non-electric smart toilet

Size: 700x385x455mm
 Seat: 320x210mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 300mm
 (Rough in: 200~400mm customizable)
 P-trap 180mm




Plug-Free

i-006



Non-electric smart toilet

Size: 680x380x465mm
 Seat: 300x200mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 300mm
 (Rough in: 200~400mm customizable)
 P-trap 180mm



No water pressure limitation

i-009

Non-electric smart toilet



Size: 678x385x600mm
 Seat: 300x210mm
 Flushing method: Siphonic flushing
 Roughing-in: S-trap 250/300mm
 Flushing method: Rimless Washdown flushing
 Roughing-in: S-trap 100~250mm
 P-trap 180mm



Mechanical Flush Knob



Cold-Water Rinse Nozzle



S-trap:100~250mm with flexible tube



P-trap 180mm

Function	1	2	3
	No water pressure limitation	Hip clean	Soft and silent closing cover&seat
	Intelligent control knob	Unseat Automatic flushing	Water pressure regulation
	No power required	Cold-water clean	Button flushing
	Feminine clean	Ordinary fitting	Foot induction flushing

Function

- No power required
- Cold water clean
- Spray rod self-cleaning
- Hip clean
- Foam generating function (Optional item)

- Feminine clean
- Moving clean
- Spray rod regulation
- Water pressure regulation
- Water pressure limit: >0.1 Mpa

- Unseat Automatic flushing
- Button flushing
- Foot induction flushing
- Soft and silent closing cover&seat